



CHECKERS

Justrite Safety Group

3500 SERIES AVIATION CHOCK

PRODUCT INFORMATION BROCHURE





PICTURED: AC3512

Checkers™ Wheel Chocks comply with the safety requirements of a variety of industries and ensure a safe working environment while your vehicles are at rest. Offered in a variety of styles, our wheel chocks provide a safe chocking solution for any type of vehicle.

Checkers™ Wheel Chocks were engineered in collaboration with safety experts to work with a wide range of ground equipment, commercial, and military vehicles. Whether you are chocking a fully-loaded 400-ton haul truck or a utility trailer, we have the wheel chocks you need to safely secure your vehicle and meet compliance standards.

- **We are one of the largest manufacturers of wheel chocks in the world**
- **We manufacture the most popular wheel chocks in the highly-demanding mining industry**
- **Checkers wheel chocks are manufactured at company headquarters in Broomfield, Colorado**
- **Polyurethane wheel chocks are resistant to extreme weather conditions, tears, abrasions, oils, and solvents**
- **Polyurethane chocks are extremely lightweight compared to excessive steel and aluminum counterparts**
- **Long-lasting product life span results in cost savings**
- **Checkers produces a wheel chock for virtually every type of tire-based vehicle**
- **Our wheel chocks are engineered to reduce damage to your vehicle's tires**
- **High visibility safety colors used on most of our wheel chocks**
- **Checkers wheel chocks satisfy MSHA, OSHA, SAE, NFPA, and DOT compliance standards**

CHECKERS™ AVIATION WHEEL CHOCKS include the AC Series, made of highly durable, lightweight polyurethane. AC Chocks last longer than wood chocks, never need painting and eliminate Foreign Object Damage threats for aircraft. The AC Series is ideal for private, commercial, cargo and military aircraft.

Material: UV Stabilized Polyurethane

- Impact-absorbing urethane
- Weather and abrasion resistant
- High load-bearing capacity
- Resistant to aircraft fuels, oils, and lubricants
- Eliminates Foreign Object Damage
- Designed for large and oversized aircraft



⚠ WARNING: This product can expose you to chemicals including Carbon Black, Titanium Dioxide, Formaldehyde, and Benzyl Butyl Phthalate, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

MODEL: AC3512

APPLICATIONS

- Commercial aircraft
- Military aircraft
- Cargo aircraft
- Private aircraft

SPECIFICATIONS

Model	Description	Length	Width	Height	Lanyard	Weight
AC3512	Aviation Chock	12 in. (30.5 cm)	5 in. (12.7 cm)	3 in. (7.6 cm)	24 in. (61.0 cm)	6.5 lb. (2.9 kg)
AC3512-RP	Aviation Chock with Rubber Base	12 in. (30.5 cm)	5 in. (12.7 cm)	3.25 in. (8.3 cm)	24 in. (61.0 cm)	8.4 lb. (3.8 kg)
AC3515	Aviation Chock	15 in. (38.1 cm)	5 in. (12.7 cm)	3 in. (7.6 cm)	24 in. (61.0 cm)	7.8 lb. (3.4 kg)
AC3515-RP	Aviation Chock with Rubber Base	15 in. (38.1 cm)	5 in. (12.7 cm)	3.25 in. (8.3 cm)	24 in. (61.0 cm)	10.4 lb. (4.4 kg)
AC3518	Aviation Chock	18 in. (45.7 cm)	5 in. (12.7 cm)	3 in. (7.6 cm)	24 in. (61.0 cm)	9.2 lb. (4.2 kg)
AC3518-RP	Aviation Chock with Rubber Base	18 in. (45.7 cm)	5 in. (12.7 cm)	3.25 in. (8.3 cm)	24 in. (61.0 cm)	12.0 lb. (5.6 kg)
AC3521	Aviation Chock	21 in. (53.3 cm)	5 in. (12.7 cm)	3 in. (7.6 cm)	24 in. (61.0 cm)	11.0 lb (5.0 kg)
AC3521-RP	Aviation Chock with Rubber Base	21 in. (53.3 cm)	5 in. (12.7 cm)	3.25 in. (8.3 cm)	24 in. (61.0 cm)	15.0 lb. (6.8 kg)
ACPAD3512	Replacement Rubber Pad for 3512	9.0 in. (22.6 cm)	.625 in. (1.6 cm)	.5 in (1.3 cm)	N/A	.75 lb. (.34 kg)
ACPAD3515	Replacement Rubber Pad for 3515	12 in. (30.4 cm)	.625 in. (1.6 cm)	.5 in (1.3 cm)	N/A	1.2 lb. (.5 kg)
ACPAD3518	Replacement Rubber Pad for 3518	15 in. (38.1 cm)	7.4 in. (18.8 cm)	.5 in (1.3 cm)	N/A	1.5 lb. (.7 kg)
ACPAD3521	Replacement Rubber Pad for 3521	18 in. (45.7 cm)	8 in. (20.3 cm)	.5 in (1.3 cm)	N/A	1.75 lb. (.8 kg)
ACROPE-3500-S	Replacement Locking Rope for Single AC3500	24 in (61.0 cm)	.625 in. (1.6 cm)	.5 in. (1.3 cm)	24 in. (61.0 cm)	.25 lb. (.1 kg)
ACROPE-3500-P	Replacement Locking Rope for Pair AC3500	24 in (61.0 cm)	5.6 in. (14.2 cm)	.5 in. (1.3 cm)	24 in. (61.0 cm)	.25 lb. (.1 kg)



CHECKERS™

620 Compton St
Broomfield, CO 80020

PHONE: (800) 438-9336

FAX: (720) 890-4858

EMAIL: sales@checkers-safety.com

www.checkers-safety.com

A PRODUCT OF:



Justrite Safety Group is the leading source of safety equipment for flammables and hazardous materials storage and handling, asset protection, environmental protection spill containment, absorbents, specialized chemical storage, cable management, safety showers and eye/face washes, matting, and vehicle safety equipment. Learn more at Justrite.com, Checkers-safety.com, and Notrax.com.