

AC3500 AVIATION WHEEL CHOCK

PRODUCT INFORMATION BROCHURE









PICTURED: AC3512

CheckersTM wheel chocks comply with the safety requirements of a variety of industries and ensure a safe working environment while your vehicles are at rest. Offered in a variety of styles, our wheel chocks provide a safe chocking solution for any type of vehicle.

CheckersTM wheel chocks were engineered in collaboration with safety experts to work with a wide range of ground equipment, commercial, and military vehicles. Whether you are chocking an airplane, fully-loaded 400-ton haul truck or a utility trailer, we have the wheel chocks you need to safely secure your vehicle and meet compliance standards.

- We are one of the largest manufacturers of wheel chocks in the world
- Checkers[™] wheel chocks are manufactured in the USA, in Broomfield, Colorado
- Polyurethane wheel chocks are resistant to extreme weather conditions, tears, abrasions, oils, and solvents
- Polyurethane chocks are extremely lightweight compared to excessive steel and aluminum counterparts

- Long-lasting product life span results in cost savings
- Checkers[™] produces a wheel chock for virtually every type of tire-based vehicle
- Our wheel chocks are engineered to reduce damage to your vehicle's tires
- High-visibility safety colors used on most of our wheel chocks


PRODUCT INFORMATION

AC3500 AVIATION WHEEL CHOCKS

are made of highly durable, lightweight polyurethan AC Chocks last longer than wood chocks, never nee painting and eliminate Foreign Object Damage (FO threats to aircraft. The AC Series is ideal for private, commercial, cargo and military aircraft.

Material: UV-stabilized polyurethane

- Impact-absorbing urethane
- Weather and abrasion resistant
- High load-bearing capacity
- Resistant to aircraft fuels, oils, and lubricants
- Eliminates Foreign Object Damage (FOD)
- Designed for large and oversized aircraft





MODEL: AC3512

PPLICATIONS

- Commercial aircro
- Cargo aircraf
- Military aircraft
- Private aircraf

ACCESSORIES & SPECIFICATIONS

| Model | Description | Length | Width | Height | Lanyard | Weight |
|---------------------|--|-------------------|-------------------|-------------------|------------------|-------------------|
| AC3512 | Aviation Chock | 12 in. (30.5 cm) | 5 in. (12.7 cm) | 3 in. (7.6 cm) | 24 in. (61.0 cm) | 6.5 lb. (2.9 kg) |
| AC3512 AC3512-RP | Aviation Chock with Rubber Base | 12 in. (30.5 cm) | 5 in. (12.7 cm) | 3.25 in. (8.3 cm) | 24 in. (61.0 cm) | 8.4 lb. (3.8 kg) |
| | | | | | | |
| AC3515 | Aviation Chock | 15 in. (38.1 cm) | 5 in. (12.7 cm) | 3 in. (7.6 cm) | 24 in. (61.0 cm) | 7.8 lb. (3.4 kg) |
| AC3515-RP | Aviation Chock with Rubber Base | 15 in. (38.1 cm) | 5 in. (12.7 cm) | 3.25 in. (8.3 cm) | 24 in. (61.0 cm) | 10.4 lb. (4.4 kg) |
| AC3518 | Aviation Chock | 18 in. (45.7 cm) | 5 in. (12.7 cm) | 3 in. (7.6 cm) | 24 in. (61.0 cm) | 9.2 lb. (4.2 kg) |
| AC3518-RP | Aviation Chock with Rubber Base | 18 in. (45.7 cm) | 5 in. (12.7 cm) | 3.25 in. (8.3 cm) | 24 in. (61.0 cm) | 12.0 lb. (5.6 kg) |
| AC3521 | Aviation Chock | 21 in. (53.3 cm) | 5 in. (12.7 cm) | 3 in. (7.6 cm) | 24 in. (61.0 cm) | 11.0 lb (5.0 kg) |
| AC3521-RP | Aviation Chock with Rubber Base | 21 in. (53.3 cm) | 5 in. (12.7 cm) | 3.25 in. (8.3 cm) | 24 in. (61.0 cm) | 15.0 lb. (6.8 kg) |
| ACPAD3512 | Replacement Rubber Pad for 3512 | 9.0 in. (22.6 cm) | .625 in. (1.6 cm) | .5 in (1.3 cm) | N/A | .75 lb. (.34 kg) |
| ACPAD3515 | Replacement Rubber Pad for 3515 | 12 in. (30.4 cm) | .625 in. (1.6 cm) | .5 in (1.3 cm) | N/A | 1.2 lb. (.5 kg) |
| ACPAD3518 | Replacement Rubber Pad for 3518 | 15 in. (38.1 cm) | 7.4 in. (18.8 cm) | .5 in (1.3 cm) | N/A | 1.5 lb. (.7 kg) |
| ACPAD3521 | Replacement Rubber Pad for 3521 | 18 in. (45.7 cm) | 8 in. (20.3 cm) | .5 in (1.3 cm) | N/A | 1.75 lb. (.8 kg) |
| ACROPE-3500-S | Replacement Locking Rope for Single AC3500 | 24 in (61.0 cm) | .625 in. (1.6 cm) | .5 in. (1.3 cm) | 24 in. (61.0 cm) | .25 lb. (.1 kg) |
| ACROPE-3500-P | Replacement Locking Rope for Pair AC3500 | 24 in (61.0 cm) | 5.6 in. (14.2 cm) | .5 in. (1.3 cm) | 24 in. (61.0 cm) | .25 lb. (.1 kg) |



A PRODUCT OF:



Justrite Safety Group is the leading source of safety equipment for flammables and hazardous materials storage and handling, asset protection, environmental protection spill containment, absorbents, specialized chemical storage, cable management, safety showers, eye/face washes, matting, and vehicle safety equipment. Learn more at Justrite.com, Checkers-safety.com, and Notrax.com.